

03560.014995

cofe
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re Application of:

OSAMU ITOKAWA

Appln. No.: 09/736,438

Filed: December 15, 2000

For: IMAGE PROCESSING APPARATUS
AND METHOD AND STORAGE
MEDIUM THEREFOR

U.S. Patent No.: US 6,959,115 B2

Issued: October 25, 2005

)
: Examiner: S. Nakhjavan

)
: Group Art Unit: 2621

)
:

)
:

)
:

)
:

)
:

)
:

)
:

) March 14, 2006

Certificate
APR 03 2006
of Correction

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

SHEET 11

FIGURE 16

“HEIGHEST” should read –HIGHEST–.

SHEET 13

FIGURE 18

“HEIGHEST” should read –HIGHEST–; and
“LALUE” should read –VALUE–.

COLUMN 2

Line 42, "succeeding" should read –succeeding–.

COLUMN 8

Line 61, "set" should read –set in–.

COLUMN 9

Line 14, "set" should read –set in–; and

Line 33, "set" should read –set in–.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our below listed address.

Respectfully submitted,



Leonard P. Diana
Attorney for Patentee
Registration No. 29,296

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200.
Nymain 548874